

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



Section 1 : Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: VALEZUS INK V2 (G) CYAN

Item code: S-8607G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: INK for InkJet Printer

Restrictions on use: Use with a dedicated printer.

1.3. Details of the supplier of the safety data sheet

Manufacturer: RISO KAGAKU CORPORATION

5-34-7 Shiba, Minato-ku, Tokyo, 108-8385, JAPAN

TEL: +81 (3) 5441-6611

Supplier: RISO KAGAKU CORPORATION LONDON OFFICE

610 Centennial Park, Centennial Avenue, Elstree, Herts, WD6 3TJ U.K.

TEL: +44 (20) 8236-5800

Avda. de les Garrigues, 38-44 planta 2a local B1 08820

Prat de Llobregat - Barcelona, Spain

TEL: +34 (93) 4793750

E-mail: Contact@riso.eu

1.4. Emergency telephone number

Emergency number: U.K. +44 (20) 8236-5800 (09:00-17:00 GMT)

Spain +34 (93) 4793750 (08:30-17:30 CET)

Section 2 : Hazards identification

The intended use of the product is not expected to result in exposure to the mixture based on the packaging and method of dispensing.

2.1. Classification of the substance or mixture

Classification according to EU CLP Regulation (EC) No.1272/2008 and UK CLP Regulation: Not classified.

2.2. Label elements

Labelling according to EU CLP Regulation (EC) No.1272/2008 and UK CLP Regulation:

Hazard pictograms: Not required.

Signal word: Not required.

Hazard statements: Not required.

Precautionary statements: Not required.

2.3. Other hazards

This product does not contain PBT/vPvB substances assessed in accordance with REACH Annex XIII.

This product does not contain substances included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



Section 3 : Composition/information on ingredients

3.2. Mixtures

Substance name	Product identifier	Classification (EC)No.1272/2008	wt%
Petroleum solvent (Note L)	CAS No.: 74869-22-0 EC No.: 278-012-2	Not classified.	30-50
Copper phthalocyanine blue	CAS No.: 147-14-8 EC No.: 205-685-1	Not classified.	1-10
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	CAS No.: 2082-79-3 EC No.: 218-216-0	Not classified.	0.1-1
Fatty acid ester	Trade secret	Not classified.	Trade secret
Higher alcohol	Trade secret	Not classified.	Trade secret
Pigment	Trade secret	Not classified.	0
Carbon black	CAS No.: 1333-86-4 EC No.: 215-609-9	Not classified.	0
Barium sulphate	CAS No.: 7727-43-7 EC No.: 643-039-4	Not classified.	0
Naphtha (petroleum), hydrotreated heavy (Note P)	CAS No.: 64742-48-9 EC No.: 265-150-3	Asp.Tox.1; H304	0

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Note P : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1% w/w benzene.

Section 4 : First-aid measures

4.1. Description of first aid measures

Inhalation:	If you feel unwell, move from the contamination immediately to fresh air and seek medical advice.
Skin contact:	After contact with skin, wash immediately with plenty of water using a mild soap.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion:	If swallowed, do not induce vomiting and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed
No further relevant information available.

Section 5 : Firefighting measures

5.1. Extinguishing media:	Potassium carbonate mist, CO ₂ , foam, dry chemical powder, dry sand
5.2. Special hazards arising from the substance or mixture:	Fire could cause thick and black smoke. Toxic products, CO and CO ₂ could be formed by thermal decomposition.
5.3. Advice for firefighters:	This ink does not act as a source of ignition, but might burn if exposed to a fire.

Section 6 : Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:	Ventilate the area until material is completely picked up.
6.2. Environmental precautions:	Do not flush into the drains.
6.3. Methods and material for containment and cleaning up:	Wipe up with cloth or paper.
6.4. Reference to other sections:	For further information refer to section 8 and 13.

Section 7 : Handling and storage

7.1. Precautions for safe handling:	Use only in the well-ventilated areas.
-------------------------------------	--

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



- 7.2. Conditions for safe storage, including any incompatibilities:

7.3. Specific end use(s):
- Avoid contact with skin.

Use only with the original cartridge.

Store at 5 - 35°C and protect from sunlight.

Keep out of the reach of children.

Use only with the original cartridge.

Printing ink.

Section 8 : Exposure controls/personal protection

- 8.1. Control parameters:
- National occupational exposure and biological limit values (GESTIS International Limit values Database):

No information available.

National occupational exposure and biological limit values (GESTIS International Limit values Database):

Substance	Petroleum solvent [*as mineral oil (highly refined, pure) mist]				
CAS No.	[*8012-95-1]	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Austria			5 (1)		
Belgium			5		10 (1)
Denmark			1		2
Hungary					5
Ireland			5 (1)(2)		
Latvia			5		
The Netherlands			5		
Spain			5		10
Sweden			1		3
Norway			1		
Switzerland			5 (1)		
United Kingdom			[5]		10
Remarks					
Austria	(1) Inhalable aerosol				
Belgium	(1) 15 minutes average value				
Ireland	(1) Pure, highly & severely refined (2) Inhalable fraction				
Switzerland	(1) Inhalable fraction				
United Kingdom	The UK Advisory Committee on Toxic Substances has expressed concern that, for the OELs shown in parentheses, health may not be adequately protected because of doubts that the limit was not soundly-based. These OELs were included in the published UK 2002 list and its 2003 supplement, but are omitted from the published 2005 list.				

Substance	Carbon black				
CAS No.	1333-86-4	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Belgium			3		
Denmark			3,5		7,0
Finland			3,5		7 (1)
France			3,5		
Ireland			3 (1)		
Poland			4 (1)		
Spain			3,5		
Sweden			3		
Norway			3,5		
United Kingdom			3,5		7

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



Remarks

Finland	(1) 15 minutes average value
Ireland	(1) Inhalable fraction
Poland	(1) Inhalable fraction

Substance Copper phthalocyanine

CAS No.	147-14-8	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Latvia			5		

Remarks

None	
------	--

Substance Barium sulphate

CAS No.	7727-43-7	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Belgium			5 (1)		
Germany (DFG)			0,3 (1)(2) 4 (4)		2,4 (1)(2)(3)
Ireland			5 (1)		
Latvia			6		
Spain			10 (1)		
United Kingdom			10 (1) 4 (2)		

Remarks

Belgium	(1) Without asbestos fibers and <1% crystalline silica
Germany (DFG)	(1) Multiplied by the density of the material (2) Respirable fraction (3) 15 minutes average value (4) Inhalable fraction
Ireland	(1) Respirable fraction
Spain	(1) Inhalable aerosol
United Kingdom	(1) Inhalable aerosol (2) Respirable aerosol

Substance Naphtha (petroleum), hydrotreated heavy

CAS No.	64742-48-9	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Germany (DFG)		50	300	100 (1)	600 (1)
Poland			300		900 (1)(2)
Switzerland		50	300	100	600

Remarks

Germany (DFG)	(1) 15 minutes average value
Poland	(1) see lacquer naphtha (2) 15 minutes average value

Substance Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

CAS No.	2082-79-3	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Germany (AGS)			20 (1)		40 (1)(2)
Germany (DFG)			20 (1)		40 (1)(2)
Switzerland		25 (1)		50 (1)(2)	

Remarks

Germany (AGS)	(1) Inhalable fraction (2) 15 minutes average value
Germany (DFG)	(1) Inhalable fraction (2) 15 minutes average value
Switzerland	(1) Inhalable fraction (2) 15 minutes average value

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAV200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



Recommended monitoring procedures:

Consult the relevant monitoring standards for the region.

Air contaminants formed:

No information available.

DNEL and PNEC:

Not applicable.

Control banding:

No information available.

8.2. Exposure controls:

Appropriate engineering controls:

Good general ventilation should be sufficient for most conditions.

Personal protective equipment:

Eye protection:

Not normally required.

Skin and body protection:

Not normally required.

Hand protection:

Recommend the use of gloves in case of contact with skin.

Respiratory protection:

Not normally required.

Thermal hazard protection:

Not normally required.

Environmental exposure controls:

Avoid release to the environment.

Section 9 : Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Color:

Black

Color:

Blue

Color:

Red

Color:

Yellow

Color:

Gray

Odor:

Slight characteristic odor

Odor threshold:

No information available.

Melting point/freezing point:

< 0 °C

Boiling point or initial boiling point and boiling range:

> 200 °C

Flammability:

Not applicable.

Lower and upper explosion limit:

No information available.

Flash point:

> 120 °C (Cleveland open-cup)

Auto-ignition temperature:

> 200 °C

Decomposition temperature:

No information available.

pH:

Not applicable.

Kinematic viscosity:

No information available.

Solubility:

Insoluble in water.

Partition coefficient n-octanol/water (log value):

No information available.

Vapor pressure:

No information available.

Density and/or relative density:

0.80-0.95 g/cm³ (23°C)

Relative vapor density:

No information available.

Particle characteristics:

Not applicable.

9.2. Other information

Information with regard to physical hazard classes:

No information available.

Other safety characteristics:

Particle size d50 > 100 nm

Section 10 : Stability and reactivity

Reactivity:

No information available.

Chemical stability:

Stable under normal storage and handling conditions.

Possibility of hazardous reactions:

No information available.

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



Conditions to avoid:

Avoid direct sunlight, high temperatures, open flame.

Incompatible materials:

Halogens, strong acid, alkalis, oxidizing agents

Hazardous decomposition products:

Thermal decomposition products: CO, CO₂.

No decomposition if used for the intended uses.

Section 11 : Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No.1272/2008

Acute toxicity:

Oral LD50 > 2000mg/kg(rat)*

Skin corrosion/irritation:

May cause slight irritation.*

Serious eye damage/eye irritation:

May cause slight irritation.*

Respiratory or skin sensitisation:

No information available.

Germ cell mutagenicity:

Negative in the Ames test.

Carcinogenicity:

Carbon black is listed as Class 2B (Possible human carcinogen) by IARC.

However, IARC Monograph 93 also indicates "exposure to carbon black does not occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint."

None of the other ingredients in this product are listed by IARC, NTP, MAK, OSHA or ACGIH as a carcinogen. None of the other ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP or OSHA.

Carcinogenicity:

All ingredients in this product are not listed by IARC, NTP, MAK, OSHA or ACGIH as a carcinogen. All ingredients have not been classified as carcinogens according to EU, IARC, MAK, NTP or OSHA.

Reproductive toxicity:

No information available.

Specific target organ toxicity:

single exposure:

No information available.

repeated exposure:

No information available.

Aspiration hazard:

No information available.

**These information are based on toxicity data for similar materials and ingredients.*

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain substances identified as having endocrine disrupting properties in accordance with the criteria.

Other information:

No information available.

Section 12 : Ecological information

12.1. Toxicity:

Not classified.*

12.2. Persistence and degradability:

No information available.

12.3. Bioaccumulative potential:

No information available.

12.4. Mobility in soil:

No information available.

12.5. Results of PBT and vPvB assessment:

This product does not contain substances identified as PBT and vPvB in accordance with the criteria.

12.6. Endocrine disrupting properties:

This product does not contain substances identified as having endocrine disrupting properties in accordance with the criteria.

12.7. Other adverse effects:

No information available.

**This information is based on toxicity data for similar materials and ingredients.*

Section 13 : Disposal considerations

13.1. Waste treatment methods:

Burn in an adequate incinerator or bury in landfill in accordance with all applicable regulations. Any disposal practice must be in compliance with all EU and Member State (both federal and state) laws.

Section 14 : Transport information

14.1. UN number:

Not regulated.

14.2. UN proper shipping name:

Not regulated.

14.3. Transport hazard class(es):

Not regulated. (ADR, RID, AND, IMDG, IATA)

SAFETY DATA SHEET

VALEZUS INK V2 (G) CYAN

SDS No. : IAVAL200CE-100-EN

Issued date : 21/01/2022

Revision date : 09/12/2022



14.4. Packing group:	Not regulated.
14.5. Environmental hazards:	Not regulated.
14.6. Special precautions for user:	Not regulated.
14.7. Maritime transport in bulk according to IMO instruments:	
Annex II of MARPOL73/78 and the IBC Code:	Not applicable.

Section 15 : Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations:

REACH regulation (EC)
No.1907/2006

Substances with Annex XVII
restrictions:

Not regulated.

Candidate List of substance:

Not regulated.

Annex XIV substances:

Not regulated.

National regulations:

No additional information available.

15.2. Chemical safety assessment:

No chemical safety assessment has been carried out.

Section 16 : Other information

Full text of classifications:

Asp.Tox.1 - Aspiration hazard, Category 1

Full text of classifications:

Not applicable.

Full text of H-statements:

H304 - May be fatal if swallowed and enters airways.

Full text of H-statements:

Not applicable.

This SDS is based on REACH Regulation (EC) No.1907/2006 as amended by Regulation (EU) 2020/878.

The information herein is given in good faith, but no warranty, express or implies, is made.

Please consult RISO KAGAKU CORPORATION LONDON OFFICE for further information.