

Optional Accessories



RISO F II Type HD Drum
Enables colour printing
(Case included)



RISO Auto Document Feeder AF-VII
Scans multiple documents automatically.



RISO Job Separator IV; NIII
Enables easy separation of printed sheets by inserting tape strips.

- IC Card Reader Activation Kit RG
- Wide Stacking Tray (Allows use of paper up to 555 mm in long edge.)
- RISO Printer driver for Macintosh

RISO Two-Colour Duplicator

MH 9350

Specifications

Master Making/Printing Methods		High-speed digital master-making/Fully automatic printing
Original type		Book or Sheet
Master Making Time*1 (A4 short edge feed)	Quick Master Making Mode	Dual colour print: approx. 53 seconds Mono colour print with drum (cylinder) 1: approx. 22 seconds Mono colour print with drum (cylinder) 2: approx. 32 seconds
	Normal Master Making Mode	Dual colour print: approx. 57 seconds Mono colour print with drum (cylinder) 1: approx. 24 seconds Mono colour print with drum (cylinder) 2: approx. 34 seconds
Resolution	Scanning	600 dpi × 600 dpi
	Printing	600 dpi × 600 dpi, Quick Master Making Mode: 600 dpi × 400 dpi
Maximum Scanning Area		297 mm × 432 mm
Print paper weight		46 gsm to 210 gsm
Print Paper Size*2	Dual colour print	Standard size: B5, A4, B4, A3, Foolscap, C4 Custom size: 100 mm × 246 mm to 320 mm × 432 mm
	Mono colour print with drum (cylinder) 1	Standard size: B6, A5, B5, B5 (long edge feed), A4, A4 (long edge feed), B4, A3, Foolscap, C4, C5, C5 (long edge feed), C6, DL Custom size: 100 mm × 148 mm to 320 mm × 432 mm
	Mono colour print with drum (cylinder) 2 (when drum (cylinder) 1 is set in place)	Standard size: B5, A4, B4, A3, Foolscap, C4 Custom size: 100 mm × 246 mm to 320 mm × 432 mm
	Mono colour print with drum (cylinder) 2 (when drum (cylinder) 1 is removed)*3	Standard size: B5, A4, B4, A3, Foolscap, C4 Custom size: 100 mm × 315 mm to 320 mm × 432 mm
Maximum Printing Area		291 mm × 413 mm
Paper Feed Tray Stacking Capacity		1000 sheets** (stacking height of 110 mm or less)
Paper Receiving Tray Stacking Capacity		1000 sheets** (stacking height of 110 mm or less)
Print Speed		6 levels: 60, 80, 100, 110, 120, and 150 (High Speed*4) sheets per minute
Print Position Adjustment		Horizontal: ±15 mm Vertical: ±10 mm
Image Processing Mode		Line, Photo (Standard/Portrait), Duo (Standard/Line/Photo/Shadow off), Pencil (Darker/Lighter)
Print Reproduction Ratio		Zoom (50% to 200%), Free, 100% reproduction ratio, Margin+ (90% to 99%), Enlargement (163%, 141%, 122%, 116%), Reduction (87%, 82%, 71%, 61%)
User Interface		Colour touch panel
Functions		Image, Contrast, Size, Paper Size Detection, D-Feed Check, Dot Process, Contrast Adj., Tone Curve, Layout, Multi-Up Print, 2 Up, Book Shadow, Top Margin Adj., Binding Margin Adj., Max. Scan, Ink Saving, Quick Master Making, Preview, ADF Semi-Auto*, Storage, Overlay, Stamp, Print Speed Adjustment, Print Density Adjustment, Print Position Adjustment, Interval, Renew Page, Auto Page Renewal, OneSide MasterMake, Rotate, Special Paper Ctrl, Output reversal, Scanning Side -ADF*, Paper Memory Print, Separation, Recommendation Preview, Colour, Program, Job Separation*, Slip sheet sorting, Job Memory, Reservation, Editor, Idling Action, Confidential, My Direct Access, Meter Display, ID Counter Report, Proof Copy, Direct Printing, USB Job List, Scanning Mode, Admin, Auto Sleep, Auto Power-OFF, Power-OFF Schedule, Protect, RISO iQuality System, Application Linkage
PC Interface		USB2.0, Ethernet: 100BASE-TX/10BASE-T
Ink Supply		Full automatic (1000 ml/cartridge)
Master Supply/Disposal		Full automatic A3 approx. 220 sheets per roll/Disposal capacity: approx. 80 sheets
Power Source		MH9350: AC 220-240 V, 50-60 Hz <3.0 A>.
Power Consumption	Standard	Max. 630 W (AC 100-120V), 580 W (AC 220-240V), Ready: 50 W or lower, Sleep: (Standard) 5 W or lower, (Low) 0.5 W or lower, Power-OFF: 0.5 W or lower
	Optional Accessories Connected*8	Max. 630 W (AC 100-120V), 580 W (AC 220-240V), Ready: 53 W or lower, Sleep: (Standard) 10 W or lower, (Low) 1.5 W or lower, Power-OFF: 0.5 W or lower
Dimensions (W×D×H)*9	In use	1625 mm × 735 mm × 1115 mm
	In storage	1005 mm × 735 mm × 1115 mm
Required Space (W×D×H)		1715 mm × 1330 mm × 1570 mm
Weight*10		Approx. 164 kg

*1 Measurement value when set to 100% reproduction ratio. *2 When the optional Wide Stacking Tray is installed, you can use paper up to a size of 340mm × 555mm by setting [Custom Paper Entry]. *3 The print position may not be stabilized when a B5 or A4 size sheet is printed in a single colour with print drum (cylinder) 2. When printing at [High Speed] and using paper with a horizontal length of less than 364 mm, the print position may not be stabilized. *4 When using the following weight of paper; 64 gsm to 80 gsm *5 If the temperature of the inside of the print drum (cylinder) is less than 15°C, [High Speed] is not usable. In order to use [High Speed] when you print in mono-colour mode with print drum (cylinder) 2 while print drum (cylinder) 1 is removed, use paper with a length of 364 mm to 432 mm in the horizontal direction. *6 Usable when the optional auto document feeder is installed. *7 Usable when the optional Job Separator is installed. *8 When all the following optional accessories are installed. Auto Document Feeder, Job Separator and IC Card Reader. *9 The height includes the dedicated rack. *10 The weight does not include the ink, master roll, and rack.
Notes: Specifications are subject to change without notice.

and **riso iQualitySystem** are trademarks or registered trademarks of RISO KAGAKU CORPORATION in the United States and other countries. Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively.
Copyright ©2021 RISO KAGAKU CORPORATION. All rights reserved.



RISO UK Ltd
Unit 23, Building 6, Croxley Park, Hatters Lane,
Watford, Hertfordshire, WD18 8YH
www.riso.co.uk

Consumables

RISO iQualitySystem



The RISO iQuality mark indicates a RISO product compatible with the RISO iQuality System.



RISO INK FII TYPE Colour (1000 ml)




RISO MASTER FII TYPE HD87
(A3: 220 sheets)



RISO INK FII TYPE HD BLACK
(1000 ml)

Dimensions



Digital duplicator

2 Colour Printing Compatible

RISO MH 9350

A3

150
ppm

600×600
dpi

Full-colour LCD
touch panel

Versatile
connectivity

RISO continues to evolve, making it your ideal partner.

This unique duplicator can print two colours at once. It combines superior printing quality, a simple process, economical cost, and print productivity.

The RISO digital duplicator has been evolving to make multi-colour printing more convenient and interesting. The MH series offers excellent performance making it ideal for both general printing and artistic work.

HIGH PRODUCTIVITY

150ppm

Single pass, two colour printing



DOUBLE IMPACT PRINTING

Two-colour

A wide variety of colour combination

600 × 600dpi

RISO MH 9350



Highly productive with
two-colour printing at 150 ppm

OUTSTANDING image quality.

RISO offers highly detailed 600 x 600 dpi scanning and printing.

Two colours to create impressive photo images and
enrich your communication

The MH series lets you communicate your ideas quickly, beautifully and usefully.
Photos and illustrations can be reproduced with highly-defined colours
that will enhance your power of expression.

High level image-processing

Optimises shadow areas through enhanced gamma correction.
Sharp outlines with contour enhancement achieved.

Various functions for optimum output

- Auto base control
- Four image-processing modes: Line, Photo, Duo (Line & Photo), Pencil
- Tone smooth function.

High scanning quality

The MH series has achieved higher photo
quality in scanning. When scanning a document
with photos, it provides beautiful two-colour
separation of the photos and smooth tonal
gradation even with photo images. In addition,
equalised dot description reduces blown-out
highlight areas.



Photo document
(original before scanning)



Printed by previous models



Printed by the RISO MH series

Easier master-making with colour separation function (available for scanned paper original)

The MH series makes it simple to create two-colour masters (Colour Separation, Specified Area, Separation Sheet, Colour Editor).
Colour separations can be selected from red/black, green/black, blue/black, warm/cool, and chromatic/achromatic.

Ink Colour Variations

20 standard colours and special order-made colours are
available. This wide range of printing colours can meet the
needs of a variety of print jobs.

Red	Bright Red	RISO- Marine Red	Burgundy	Brown	Yellow	Green
Teal	Blue	Medium Blue	RISO-Fed. Blue	Purple	Flat Gold	Orange
Crimson	Hunter Green	Gray	Light Gray	Fluorescent Pink	Fluorescent Orange	

[Custom colours]



Single-pass process for two-colour printing

The MH series is a digital duplicator based on the principle of stencil printing.
It comes equipped with two drums and can print with two colours in a single pass.
Unlike using single-colour digital duplicators for two-colour output, there is no need
to wait for the ink to dry before resuming with the next print task, to reinsert
paper in the feed tray or to change the colour drums.

High-speed two-colour printing at 150 ppm

Printing 1000 pages in approximately 7 minutes, this high level of productivity
will efficiently support even the heaviest of workloads.

Versatile paper handling capability

The MH series handles a wide range of paper types such as
recycled paper, coarse paper, cards and envelopes.
The paper trays have a capacity of 1000 sheets* for both
feeding and receiving.


*When using the following weight of paper: 64 gsm to 80 gsm



RISO enables simple operation through its intuitive panel and interface design.


Full-colour control panel

Easy-to-use control panel provides intuitive operation. Functions for printing, copying, scanning, and managing data are all at your fingertips, logically arranged for intuitive operation on a large 7-inch colour LCD touch screen.



Extended Control (RISO PANEL-D)

An android* tablet device can be connected to the MH series via a USB cable and you can print through the app on the tablet.** The operation guide can be viewed, and two-colour separation can be done. The program printing function can also be operated with a tablet.



*Please ask your sales representative about tablet operating systems.
**Free app download is required to use the tablet.

Various printing approaches

The MH series offers a variety of ways to print, depending on your specific requirements.

- PC Printer Drivers
- Direct printing from a USB flash drive
- General SD card compatible for data storage
- Scan and copy



Versatile program printing

The Program Printing function is very useful when you need to print the number of test papers required for the number of students in each class at your school, or to distribute multiple printed materials to each class.

Paper insertion function for easier sorting

The MH series can be programed to insert a sheet each time a designated number of pages has been printed. This makes it easier to sort and confirm the number of documents completed.

Quick Master Making mode

Quick Master Making mode shortens master-making time while still maintaining image quality.

Low energy consumption with minimum waste of resources

Energy Saving

RISO Digital Duplicators do not use toners so a heater that is usually required for fixing toner to the paper is not necessary. They employ automatic shut-off and sleep functions after a certain time interval elapses, to effectively reduce power consumption.

Ink-saving mode

While maintaining printing quality, the amount of ink used can be reduced by 20%.*

*This may differ depending on printing mode, the documents and other conditions.

Rice bran oil ink

Rice bran oil ink contributes to environmental sustainability. Rice bran, which would otherwise be wasted, is a raw material with no VOCs, so after the oil is extracted for the ink, it can subsequently be used as fertilizer or animal feed.



RISO INK FII TYPE HD BLACK and RISO INK FII TYPE Colour are certified with environmental certification marks issued by ink industry groups in Japan.

Overwhelmingly economical print costs

The MH series makes prints from a master. As a result, the more pages generated from each master, the lower the cost per print, making it highly economical for medium- to high-volume printing.

